



PARACHUTIST

INFORMATION

MANUAL

PART 4B

COMPETITION RULES

Wingsuit Flying

JUNE 2019

Canadian Sport Parachuting Association
204 - 1468 Laurier St
Rockland, ON K4K 1C7
www.cspa.ca

Table of Contents

Page

ACKNOWLEDGEMENTS	4
LIST OF REVISIONS / CHANGES	5
CHAPTER 1 – CSPA AUTHORITY	6
CHAPTER 2 – DEFINITIONS OF WORDS AND PHRASES USED IN THESE RULES	7
General Definitions:	7
Performance Event:	7
Acrobatic Event	7
CHAPTER 3 – EQUIPMENT	9
3.1. Position Logging Device (PLD)	9
3.2. Equipment	9
CHAPTER 4 – THE PERFORMANCE EVENT	10
4.1. Objective	10
4.2. Tasks	10
4.3. Program	10
4.4. Jump Run and Exit Order	10
4.5. Flight Pattern	11
4.6. General Rules	11
4.7. Equipment	11
4.8. Determination of the Winners	12
CHAPTER 5 – THE ACROBATIC EVENT	13
5.1. Objective	13
5.2. Program	13
5.3. Exit Altitude and Working Time	13
5.4. General Rules	13
5.5 Equipment	13
5.6. Compulsory Routines	13
5.7. Free Routines	14
5.8. Air-to-Air Video Recording	14
5.9. Rejumps	15
5.10. Determination of Winners	15
CHAPTER 6 – JUDGING AND SCORING	16
6.1. Performance Event	16
6.2. Acrobatic Event	16
CHAPTER 7 – RULES SPECIFIC TO THE COMPETITION	18

7.1. Title of the Competition.....	18
7.2. Aims of the Competition.....	18
7.3. Composition of Acrobatic Teams	18
7.4. Program of Events.....	18
7.5. Declaration of Champions	18
7.6. Medals.....	18
APPENDIX AA – MANUAL JUDGING AND SCORING	19
APPENDIX A – ACROBATIC WINGSUIT FLYING COMPULSORY SEQUENCES.....	20
Sequence A: Up and Over.....	20
Sequence B: Rock and Roll	20
Sequence C: Revolutions	20
Sequence D: Roll Over	20
Sequence E: Fruity Loops.....	20
Sequence F: Duck and Roll.....	20
Sequence G: Déjà vu.....	21
Sequence H: Yin Yang.....	21
Sequence I: Back to Back	21
Sequence J: Pancakes.....	21
Sequence K: Reversed Pancakes	21
Sequence L: Hand to Foot.....	22
Sequence M: Reversed Hand to Foot.....	22
APPENDIX B – ACROBATIC WINGSUIT FLYING JUDGING CRITERIA.....	23
B-1 Scoring Grips	23
B-2 Scoring Style.....	23
B-3 Scoring Camera.....	24
B-4 Scoring Dive Plan	24
APPENDIX C – PERFORMANCE FLYING: DFP, DL, PENALTIES.....	26
APPENDIX D – ACROBATIC WINGSUIT FLYING JUDGING FORM.....	27

ACKNOWLEDGEMENTS

The CSPA Judging Committee has prepared the Competition Rules for Wingsuit Flying under the authority granted to it by the CSPA Board of Directors.

LIST OF REVISIONS / CHANGES

<u>Date</u>	<u>Section</u>
June 2019	Revision: 4.2.3
May 2019	Revisions: Definitions, Ch.3, 4.5.1., 4.5.3., 4.8.1., 5.3.2., 5.3.3., 5.3.4., 5.5.1., 5.6.7., 5.6.7.1., 5.6.7.2., 5.8.8., 5.10.3., 5.10.4., 6.2.6., 6.2.8., Appendix AA, Appendix B, Appendix C, Appendix D, Appendix E
May 2018	Revisions: Definitions, 3.2.1, 3.3.5, 3.4.1, 3.5.1, 3.5.2, 3.5.3, 3.5.4, 3.5.6, 3.6.1, 3.7.1, 3.7.3, .3.7.5, 3.7.7, 3.7.11, 3.9.2, 4.1.1, 4.4, 4.5.5, 4.7.8, 4.8.1, 4.8.6, 5.2.2, 5.2.6, 5.2.7, 5.2.8, 5.3, 5.4, 5.7.3., Appendix AA, Appendix A, Appendix B, Appendix C, Appendix D, Appendix E
August 2017	Revisions: Section 3.3.3., 3.7.5., 4.3.1.
March 2017	Initial issue

CHAPTER 1 – CSPA AUTHORITY

- 1.1 The Event will be conducted in accordance with PIM4B - Competition Rules – General Section and Wingsuit Flying plus PIM 4A - Canadian National Parachuting Championships Hosting Manual. All participants accept and agree to abide by PIM 4B, PIM 4A and all other relevant CSPA regulations upon registration for the CNPC.

CHAPTER 2 – DEFINITIONS OF WORDS AND PHRASES USED IN THESE RULES

General Definitions:

POSITION LOGGING DEVICE (PLD): A device used to record the real-time, three-dimensional (3D) position of the wingsuit flyer, which is mounted on the wingsuit flyer's body or equipment.

SPHERICAL ERROR PROBABILITY (SEP): The horizontal and vertical accuracy specifications of a PLD expressed in terms of a sphere of given radius; for example, "real-time accuracy <10 meters SEP."

GEOMETRIC ALTITUDE: The height, as measured by a Global Navigation Satellite System, optical methods or radar, above ground level.

Performance Event:

COMPETITION WINDOW: A vertical 1000-meter window, starting at 3000 m (9843ft) Geometric Altitude and ending at 2000 m (6562ft) Geometric Altitude, in which the performance of the wingsuit flyer is evaluated. The first crossing of the upper window boundary starts the evaluation process, which stops at the first crossing of the lower window boundary.

DZ ELEVATION: The ground level for the competition site will be determined by the Meet Director and will be made known at the pre-event competitors' meeting.

DESIGNATED FLIGHT PATH: The straight ground track between a point on the competitor's flight path reached 10 seconds after exit and a designated ground reference point, which is given prior to the jump to the competitor by the Meet Director using a detailed map or aerial photograph of the area. The map and/or photograph must be acceptable to the Chief Judge.

DESIGNATED LANE: A lane which is centered on the Designated Flight Path with a width of 600 metres.

Acrobatic Event

ALTITUDE WINDOW: The upper boundary of the Altitude Window is the altitude at which the vertical velocity of the Designated Team Member reaches 8 m/s after exit, as determined by the judges using the PLD, and the lower boundary of the Altitude Window is as designated in 5.3.3 or, if applicable, 5.3.4.

DESIGNATED TEAM MEMBER: The Designated Team Member (DTM) is the Team Member wearing the PLD. This team member shall remain the DTM for the duration of the competition, unless otherwise directed by the Chief Judge.

COMPULSORY ROUTINE: A routine composed of compulsory sequences chosen at random from Appendix A by the Chief Judge.

COMPULSORY SEQUENCE: A routine comprised of 2 or 4 manoeuvres, as described in Appendix A.

FREE ROUTINE: A routine composed of manoeuvres chosen entirely by the Team.

BASIC ROTATIONAL ACTIONS

(1) Barrel Roll

A barrel roll is a 360-degree rotation about the body head-toe axis, when that axis is aligned with the direction of flight. The rotation of a barrel roll may be performed in either direction (clockwise or anti-clockwise).

(2) Back Loop

A back loop is a loop where the rotation is initiated about the body left-right axis with the torso rotating backwards.

(3) Front Loop

A front loop is a loop where the rotation is initiated about the body left-right axis with the torso rotating forwards.

GRIPS

- (1) A hand grip consists of a controlled stationary contact with the front or back of the hand. The contact must be on or below the wrist.
- (2) A foot grip consists of a controlled stationary contact with the front or back of the hand on the foot, below the ankle bone.
- (3) A grip on the surface of any wingsuit without also achieving a controlled stationary contact with the front or back of the hand on a specified part of the body as defined in 1) and 2) above is specifically excluded from the definition of a grip.

MANOEUVRE: A change in body position or a rotation around one or more of the three (3) body axes or a static pose

NORMAL FLIGHT: The performer is in a belly-to-earth stable position

NV: No Video – no video image is available for judging purposes.

OMISSION:

- (1) a manoeuvre or grip is missing from the drawn sequence or
- (2) there is no clear intent to perform the chosen manoeuvre or
- (3) an attempt at a grip is seen and another manoeuvre or grip is presented and there is an advantage to the team resulting from the substitution.

ROUTINE: Compulsory sequences or manoeuvres performed during the working time.

TEAM: An Acrobatic Wingsuit Flying Team is composed of two (2) Performers and a Videographer, all three of whom are Team Members

WORKING TIME: The period of time during which Teams may be evaluated and scored in accordance with 6.2 and which is defined in 5.3.3 and 5.3.4.

CHAPTER 3 – EQUIPMENT

The following applies to both Performance and Acrobatic Wingsuit Flying

3.1. Position Logging Device (PLD)

3.1.1. The PLD must record real-time three-dimensional (3D) data with a resolution of at least 5Hz and a position accuracy (SEP) of less than 10 meters.

3.1.2. The PLD must not require any action by the competitor in order for it to function, and it must activate its recording function automatically.

3.1.3. Once attached to the competitor, the settings on the device must not be capable of being altered by the competitor, nor must it be possible for the competitor to delete the data without this being easily evident to the Judges. Tampering with the device will result in a score of zero for the jump. This decision is not grounds for protest.

3.1.4. The data recorded by the PLD must be downloaded and saved as soon as possible after the competitor has handed in the devices, and before the PLD is used again

3.2. Equipment

3.2.1. Competitors shall not use propulsion systems. If any propulsion system is used, the score will be zero for that jump.

3.2.2. A competitor shall not wear any other electronic device or wires closer than 2.54cm from the official PLD as measured by the judging staff. However, a second identical PLD unit may be worn without regard to this separation requirement. If any such electronic device affects the PLD system, and the source of the interference is not obvious and beyond the reasonable control of the jumper, a rejump may be granted by the Chief Judge, in which case 4.6.3 will not apply.

3.2.3. Each competitor must wear a functioning audio altitude warning device on every jump. Failure to do so will result in a score of zero for that jump.

3.2.4. The PLD will be attached in its location by a Judge.

3.2.5. The PLD will be turned on and off by a Judge or by the competitor if instructed to do so by any Judge.

3.2.6. Immediately after landing, the competitor shall return the PLD used on that jump to a Judge.

3.2.7. If the PLD is found to have been tampered with and if in the opinion of a Judge this was not caused by circumstances beyond the control of the competitor, then no rejump will be awarded and the competitor will receive a score of zero for that jump. This decision shall not be grounds for a protest.

3.2.8. If the PLD malfunctions, and in the opinion of a Judge the malfunction was not caused by action or interference by the competitor, then the competitor will be given the option of making a rejump, in which case 4.6.3 will not apply, or receiving a score of zero for that jump.

CHAPTER 4 – THE PERFORMANCE EVENT

4.1. Objective

4.1.1. The objective is to fly a single wingsuit in three separate tasks to demonstrate a combination of best lift (time task), best glide (distance task) and least drag (speed task).

4.1.2. Each round of the event is comprised of the three tasks.

4.1.3. Each task is performed on a separate flight.

4.2. Tasks

4.2.1. Time Task: The wingsuit flyer is to fly with the slowest fall rate possible through the competition window. The result for this task will be the time spent in the competition window, expressed in seconds, rounded to one decimal place.

4.2.2. Distance Task: The wingsuit flyer is to fly as far as possible through the competition window. The result for this task will be the straight-line distance flown over the ground while in the competition window, expressed in meters, rounded to whole numbers.

4.2.3. Speed Task: The wingsuit flyer is to fly as fast as possible horizontally over the ground through the competition window. The result for this task will be the straight-line distance flown over the ground while in the competition window divided by the time spent in the competition window, expressed in kilometres per hour (km/h), rounded to one decimal place.

4.3. Program

4.3.1. A competition shall consist of three rounds, with three tasks in each round, for a total of nine flights.

4.3.2. At least one round must be completed to determine rankings and declare winners.

4.3.3. The minimum exit altitude is 3658m / 12,000ft Geometric Altitude. The maximum exit altitude (at the start of jump run) is 3810m / 12,500ft Geometric Altitude.

4.3.4. For meteorological and/or Air Traffic Control reasons only, and with the consent of the Chief Judge, the Meet Director may lower the exit altitude to no lower than 3048m / 10,000ft AGL and continue the competition. The Competition Window does not change; i.e. it stays 3000-2000m. If the exit altitude is lowered it must apply for a complete task for all competitors.

4.3.5. The order of tasks will be determined by a random draw conducted by the Meet Director during the competitor briefing. This order may be changed by the Meet Director for meteorological or air traffic control reasons.

4.4. Jump Run and Exit Order

4.4.1. The jump run should be perpendicular to the wind line upwind of the designated landing area, which is established by the Meet Director.

4.4.2. The starting order for the first task will be determined by the Meet Director, Chief Judge or Event Judge by a blind draw. The competitors shall jump consecutively in manifest order.

4.4.3. At the discretion of the Meet Director a Flight Director may be placed aboard an aircraft larger than eight places to assist competitors with identification of ground reference points and landmarks.

Under no circumstances will such a Flight Director direct a competitor to exit. That decision is solely the responsibility of the competitor.

4.4.4. The number of competitors to exit on a single pass of the aircraft and the spacing of those exits will be determined by the Meet Director. The horizontal spacing must be no less than 600m. This will be expressed to the competitors as a time, in seconds, between exits. Immediately after exit, each competitor will turn directly towards his designated flight path.

4.4.5. Exit procedure: There are no limitations on the exit other than those imposed by the Chief Pilot for safety reasons. If a competitor exits in a manner deemed unsafe, the matter will be referred to the Safety Panel (PIM 4B, General Section, 4.8)

4.5. Flight Pattern

4.5.1. The first exit point on an aircraft pass will be determined by the Meet Director. The aircraft pilot will signal the competitors when they are clear to exit. The “clear to exit” signal must be given at least 600 metres before the first Designated Lane. All the competitors will be briefed on the specific exit signals at the pre-event competitors’ meeting.

4.5.2. The Designated Flight Path (DFP) of each competitor using a ground reference point will be determined by the Meet Director and will be given to that competitor using a detailed map or aerial photograph of the area.

4.5.3. A competitor must not leave his Designated Lane (DL). Violation of this rule during the time period from 10.0 sec after exit to the exit of the competition window, as determined by the panel of judges, shall affect the result, as determined in 4.8.1, as follows:

- if less than 150 m outside the DL, a 10% reduction;
- if 150-300 m outside the DL, a 20% reduction;
- if during the time period from 10.0 seconds after exit to the deployment of the parachute, a competitor is more than 300 m outside the DL a 50% reduction for the first such infringement or a score of zero for any such infringement on a subsequent jump.

The distance referred to will be measured at right angles to the DL boundary

4.5.4 At no time from exit to opening shall competitor(s) come within 250m of any other competitor(s). Violation of this rule, as determined by the panel of judges, will result in a score of zero for that jump. This decision shall not be grounds for protest.

4.5.5. Any violation of 4.5.3 or 4.5.4 that results in endangering other competitors shall be considered a serious endangerment and referred to the Safety Panel (PIM 4B, General Section, 4.8).

4.6. General Rules

4.6.1. The deployment altitude for each competitor will be pre-determined by the Meet Director and must not exceed 5000ft AGL.

4.6.2. Any violation of 4.6.1 that results in endangering other competitors shall be considered a serious endangerment and referred to the Safety Panel (PIM 4B, General Section, 4.8).

4.6.3. All jumps for each task of a round should be made from the same, or back-to-back loads, in order that competitors jump in similar winds.

4.7. Equipment

4.7.1. Competitors shall not carry additional or removable weight on their body or equipment. They must be weighed by the Event Judge, or a person appointed by the Event Judge for the purpose, at the start of the competition wearing all their normal jump equipment to establish a baseline weight. The Event Judge, or a person appointed by the Event Judge for the purpose, must conduct subsequent random weight checks, which may fluctuate from the baseline weight by no more than +/- 2kg before requiring an inspection. If the addition or removal of weight is detected, the score for that jump will be zero. This decision shall not be grounds for protest.

4.7.2. The same wingsuit, without any changes or modifications of its parts, must be used throughout the competition. In exceptional circumstances, a wingsuit may be changed with the consent of the Chief Judge, e.g., if the original suit gets damaged and cannot be made airworthy.

4.7.3. Wingsuits will be inspected and marked by a Judge. Only marked suits may be used for the competition. Using an unmarked suit will result in a score of zero for that jump.

4.7.4. Each competitor shall wear one PLD provided by the Organiser and issued by a Judge. The device will be attached on the jumper’s equipment with the antenna having a clear view of the sky, located and positioned to the satisfaction of the Judge. This decision shall not be grounds for protest.

4.8. Determination of the Winners

4.8.1. Each task in each round will be scored based on the top result of the task performed in that round adjusted by any penalties arising from 4.5.3, 4.5.4 and 4.5.5. The top result will be scored 100%. The other results will be scored as a percentage of the top result.

4.8.2. The score calculated in 4.8.1 for all rounds for each separate task, will be averaged for each competitor for an intermediate score of the task.

4.8.3. The three intermediate scores for each task for each competitor are added and rounded to one decimal place to give the total score for the competitor.

4.8.4. The total score for the competitor determines the ranking.

In the event of a tie in the first three places, the following tie-break rules apply:

- (1) A tie-break jump will be made. The task shall be drawn at random by the Chief Judge.
- (2) If the tie cannot be broken by the tie break jump, the competitors concerned shall have equal placement.
- (3) All other ties in the standings shall have equal placement.

CHAPTER 5 – THE ACROBATIC EVENT

5.1. Objective

5.1.1. The objective is for a team to perform a sequence of manoeuvres.

5.1.2. There is no distinction as to gender.

5.2. Program

5.2.1. The competition will consist of six rounds. The minimum number of rounds for a valid competition will be two (2) rounds.

5.2.2. The order of the routines shall be F-C-C-F-C-C (C = compulsory; F = free).

5.3. Exit Altitude and Working Time

5.3.1. Unless otherwise specified in this section, the maximum exit altitude is 3810m / 12,500ft AGL.

5.3.2. Working time is the time spent, measured in seconds rounded to the closest tenth (0.1) of a second, in the Altitude Window from the first crossing of the upper boundary by the DTM to the first crossing of the lower boundary by the DTM.

5.3.3. Unless otherwise specified in this section, the lower boundary of the Altitude Window will be 7500 vertical feet below the upper boundary.

5.3.4. For meteorological and/or Air Traffic Control reasons only, and with the consent of the Chief Judge, the Meet Director may lower the exit altitude to no lower than 3048m / 10,000 ft. AGL with the Altitude Window adjusted with a lower boundary 5000 vertical feet below the upper boundary and continue the competition. However, if the exit altitude is lowered it must apply for a complete round for all teams.

5.4. General Rules

5.4.1. The deployment altitude for each team will be pre-determined by the Meet Director in order to maximize team separation and may not exceed 5000ft AGL.

5.4.2. Competitors may change their role in the team from jump to jump; however, they may only perform one role (Performer A, Performer B, Videographer) during a jump

5.4.3. The performer (defined as Performer A, Performer B) who executes the first manoeuvre in each compulsory routine is defined as Performer A; this establishes the performer's role in the sequences (described in Appendix A) for the remainder of the routine

5.4.4. The jump order for the first round will be determined by the Meet Director, Chief Judge or Event Judge by a blind draw. Thereafter, the teams shall jump consecutively in manifest order.

5.4.5. Representation: Each participant may be a member of only one team.

5.5 Equipment

5.5.1 The Designated Team Member (DTM) shall wear one PLD provide by the Organizer and issued by a Judge. The device will be attached on the DTM's equipment with the antenna having a clear view of the sky, located and positioned to the satisfaction of the Judge. This decision shall not be grounds for a protest.

5.6. Compulsory Routines

5.6.1. A Compulsory Routine consists of three (3) Compulsory Sequences as described in Appendix A.

5.6.2. The Compulsory sequences may be repeated until the end of working time.

5.6.3. The Compulsory Sequences to be used on each jump are determined via a random draw.

5.6.4. The draw of all compulsory round sequences will be done publicly and supervised by the Chief Judge. Teams will be given not less than two hours' knowledge of the results of the draw before the competition starts.

5.6.5. The sequences shown in Appendix A will be individually placed in one container. Individual withdrawal from the container, (without replacement), will determine the sequences to be jumped in each round. A sequence, once drawn, will be put aside and may not be used again. However, if all available sequences have been used and the draw is not complete, the process will be re-started until the draw is complete.

5.6.6. The order of the compulsory sequences is determined by the order in which they are drawn.

5.6.7 After completion of the draw as determined in 5.6.5, the Chief Judge will determine whether a tie break jump will be a Free Round or Compulsory Round using the following procedure:

- (1) One Free Round and one Compulsory Round marker will be placed in one container. One marker will be drawn from the container in order to determine the type of tie break round.
- (2) If the tie break round determined in 5.6.7.1 is a Compulsory Round, the Sequences will be drawn in accordance with 5.6.5 and 5.6.6.

5.7. Free Routines

5.7.1. The content of the Free Routine(s) is chosen entirely by the Team and may or may not include grips.

5.7.2. The Team may perform the same Free Routine in each Free Round.

5.8. Air-to-Air Video Recording

5.8.1. For the purpose of these rules, "air-to-air video equipment" shall consist of the complete video system used to record the evidence of the team's performance, including camera(s), recording media, cables and battery. The air-to-air video equipment must be able to deliver a High Definition (HD 1080i / 1080p) digital signal through a compatible video connection approved by the Video Controller.

5.8.2. The videographer is responsible for assuring the compatibility of the air-to-air video equipment with the scoring system.

5.8.3. The camera must be fixed by a static mount to the helmet. No roll, pitch or yaw movements of the camera, mechanical and/or digital zoom adjustment, or any digital effects (excluding "steady shot" or other image stabilization feature) may be used during competition jumps. Failure to meet any of these requirements will result in a score of zero (0) points.

5.8.4. A Video Controller will be appointed by the Chief Judge prior to the start of the judges' conference. The Video Controller may inspect a team's air-to-air video equipment to verify that it meets the performance requirements. Inspections may be made at any time during the competition which does not interfere with a team's performance, as determined by the Event Judge. If any air-to-air video equipment does not meet the performance requirements as determined by the Video Controller, this equipment will be deemed to be unusable for the competition.

5.8.5. Video Review Panel (VRP). A VRP will be established prior to the start of the competition, consisting of the Chief Judge, the Meet Director and the Video Controller. Decisions rendered by the VRP shall be final and shall not be subject to protest or review by the Jury.

5.8.6. The Organizer shall provide the teams with a way of identification showing the team and round number, to be recorded by the videographer just before exit.

5.8.7. The team's video recording must continue from team/round identification through the exit and the jump without interruption. Failure to meet this requirement will result in a score of zero (0) points.

5.8.8. The videographer shall provide the video evidence required to judge each jump and to show the team's performance to relevant third parties. It is the responsibility of the videographer to show the exit of the Performers so that the start of working time may be clearly determined. If, in the opinion of the Panel of judges, the start of working time may not be clearly determined on the video, a penalty of 10% shall be deducted from the team's total score for that jump as determined in 6.2.8.2 and 6.2.8.3.

5.8.9. As soon as possible after each jump, the videographer must deliver the air-to-air video equipment for dubbing at the designated station. The video evidence must remain available for viewing or dubbing until all scores are posted as final.

5.9. Rejumps

5.9.1. In a situation where the video evidence is considered insufficient for judging (NV – see 6.2.6.6) by a majority of the judging panel, the air-to-air video equipment will be handed directly to the VRP for assessment and a determination as follows:

5.9.2. If the VRP determines that there has been an intentional abuse of the rules by the team, no rejump will be granted and the team's score for that jump will be zero (0).

5.9.3. In the case the VRP determines the insufficiency of the video evidence is due to a factor that could be controlled by the team, no rejump will be granted and the team will receive a score based on the video evidence available.

5.9.4. If the VRP determines the insufficiency of the video evidence is due to weather conditions or a cause beyond the control of the team, a rejump will be given.

5.9.5. Contact or other means of inference between performer(s) and/or the videographer in a team shall not be grounds for a rejump.

5.9.6. Problems with a competitor's equipment (excluding air-to-air video equipment) shall not be grounds for a rejump.

5.9.7. Adverse weather conditions during a jump are not grounds for protest. However, in circumstances not covered by 5.9.1, a rejump may be granted due to adverse weather conditions, at the discretion of the Chief Judge.

5.10. Determination of Winners

5.10.1. The winners (1st, 2nd and 3rd) are the teams with the three highest total scores for all completed rounds.

5.10.2. In the event of a tie in the first three places, a tie-break jump, as determined in 5.6.7 will be made.

5.10.3. If the tie cannot be broken by the tie-break jump, the following procedure will be applied until a clear placing is determined:

- (1) The best score, then the second-best score, of any completed free rounds.
- (2) The best score, then the second-best score, of any completed compulsory rounds.

5.10.4. All other ties in the standings shall have equal placement.

CHAPTER 6 – JUDGING AND SCORING

6.1. Performance Event

6.1.1. Scoring will be supervised by at least two Wingsuit Judges.

6.2. Acrobatic Event

6.2.1. Once any team member has left the aircraft, the jump shall be evaluated and scored.

6.2.2. The evaluation of each sequence will take place during the full working time but may cease before the end of working time if the team abandons the performance requirements for the required routine. Teams may continue scoring by continually repeating the sequences in the required order.

6.2.3. Judging procedures:

- (1) The jumps shall be judged using the video evidence as provided by the videographer.
- (2) A panel consisting of five (5) judges must evaluate each team's routine. Where possible, a complete round shall be judged by the same panel.
- (3) Judges may view the jump a maximum of three (3) times. A fourth viewing may be allowed at the discretion of the Event Judge.

6.2.4. All viewings must be at normal speed.

6.2.5. The judges will use the electronic scoring system to record the evaluation of the performance. At the end of working time, freeze frame will be applied on each viewing, based on the timing taken from the first viewing only. The judges may correct their evaluation record after the jump has been judged. Corrections to the evaluation record can only be made before the Chief Judge signs the score sheet.

6.2.6. Scoring Compulsory Routines:

- (1) The Routine is evaluated using two (2) criteria: style and number of grips.
- (2) Judges give each of the above two criteria a score, based on the guidelines in Appendix B.
- (3) For each manoeuvre omitted from the required order, as determined by a majority of the judges, 1.5 points will be deducted from the style point score otherwise given by each judge.
- (4) One point will be assigned for each grip correctly performed in the routine within the working time of each round, as determined by a majority of the judges. The score given for grips shall be in whole integers only.
- (5) For each grip omission one (1) point will be deducted from the total determined in 6.2.6.4. If an infringement in the scoring formation of a manoeuvre is carried into to the next grip this will be considered as one infringement only, provided that the intent of the manoeuvre requirements for the next formation is clearly presented.
- (6) A majority of Judges must agree in order to determine an NV situation.
- (7) If, after the viewings are completed, and within fifteen seconds of the knowledge of the result, the Chief Judge, Event Judge or any Judge on the panel considers that an absolutely incorrect assessment of a grip has occurred, the Chief Judge or Event Judge will direct that only that part(s) of the jump in question be reviewed. If the review results in a four to one decision by the Judges on the part(s) of the performance in question, the assessment of that grip will be adjusted accordingly. Only one review is permitted for each jump.
- (8) The minimum score for any of the criteria is zero points.

6.2.7. Scoring Free Routines:

- (1) The Routine is evaluated using three (3) criteria: style, dive plan and camerawork.
- (2) Judges will give each of the above three criteria a score based on the guidelines in Appendix B.

6.2.8. Score Calculation:

- (1) The team's score for a round for each of the criteria in 6.2.6 and 6.2.7 other than grips is calculated by discarding the high and low scores and averaging the three remaining scores, rounded to one decimal place.
- (2) For Free Rounds, the team's score for style, dive plan and camera as calculated in 6.2.8.1 will be weighted 100% and a zero score being weighted 0% (0). The teams total score for a round is then calculated by adding the three weighted percentage scores for that round.

- (3) For Compulsory rounds, the team's score for style, as calculated in 6.2.8.1, and for grips, as calculated in 6.2.6.4 and 6.2.6.5, will be weighted 0% to 150% for each criterion for all teams for that round, the highest score being weighted 150% (150) and a zero score being weighted 0% (0). The team's total score for a round is then calculated by adding the two weighted percentage scores for that round.
- (4) The team's final score for the event is the sum of the total scores from all completed rounds as calculated in 6.2.8.2 and 6.2.8.3

6.2.9. All scores for each judge will be made public.

6.3. Not used.

6.4. Other Judging responsibilities (Performance and Acrobatic)

- (1) One or more individuals, supervised by the Chief Judge (or trainees under the supervision of the Chief of Judge Training) may support the judges in equipment, device and data management.
- (2) One or more qualified individuals, supervised by the Meet Director, must observe the competitors during their descent and on opening. The observer must check for any conditions or incidents that might constitute grounds for a re-jump and/or disqualification for safety reasons. A written record must be made of any unusual observations or incidents.
- (3) The Chief Judge and/or Meet Director may interrupt the event if they determine the meteorological conditions are not safe for the conduct of the event. This decision shall not be grounds for a protest.

CHAPTER 7 – RULES SPECIFIC TO THE COMPETITION

7.1. Title of the Competition

The Title of the Competition is: “ ___th Canadian National Parachuting Championships.

7.2. Aims of the Competition

7.2.1. To determine the National Champions of Wingsuit Flying in the:

- Performance Event
- Acrobatic Event

7.2.2. To promote and develop Wingsuit Flying training and competition.

7.2.3. To establish new Wingsuit Performance and Acrobatic Flying competition records.

7.3. Composition of Acrobatic Teams

7.3.1. An Acrobatic Wingsuit Flying Team is composed of two (2) Performers and a Videographer, one of whom will be the Team Captain, who will be the only team spokesperson on matters pursuant to the CNPC, in regard to the actual competition

7.4. Program of Events

Performance Event: The competition shall consist of three rounds, with three tasks in each round, for a total of nine flights.

Acrobatic Event: The competition will consist of six rounds.

7.5. Declaration of Champions

Performance Event: At the end of all completed rounds, the competitor with the highest cumulative score is the Performance Event Champion.

Acrobatic Event At the end of all completed rounds, the team with the highest cumulative score is the Acrobatic Event Champion.

7.6. Medals

Gold, silver and bronze medals will be awarded to the first, second and third place winners in all valid events subject to the citizenship restrictions in PIM4B – General Section Competition Rules 2.1 and with the following exceptions:

- (a) where there are only three individuals or teams registered in an event, only gold and silver medals shall be awarded
- (b) where there are only two individuals or teams registered in an event, only the gold medal will be awarded.

APPENDIX AA – MANUAL JUDGING AND SCORING

AA.1. Manual Judging and Scoring: If an electronic scoring system is not available:

- Five Judges will watch the jump on suitable video playback equipment and will record their evaluation on their own score sheets.

AA.2. Chapter 6 will apply as written except 6.2.5 is replaced with:

AA.2.1. The judges will use the score sheet below (see also Appendix E) to record the evaluation of the performance. At the end of working time, freeze frame will be applied on each viewing, based on the timing taken from the first viewing only. The judges may correct their evaluation record after the jump has been judged. Corrections to the evaluation record can only be made before the Chief Judge signs the score sheet.

Judge:				Round:
Team Name	Grips / Dive Plan	Style	Camera (Free Rounds) Quality / Progressive	Total

Notes:

The score for each compulsory round is based on:

- (1) Grips - number of grips made.
- (2) Style - rated -10 (in 0.1 increments)

The score for each free round is based on:

- (1) Dive plan - rated 0-10 (in 0.1 increments)
- (2) Style - rated 0-10 (in 0.1 increments)
- (3) Camerawork - 2 scores (one for quality rated 0-7 and one for progressive rated 0-3) (in 0.1 increments)

APPENDIX A – ACROBATIC WINGSUIT FLYING COMPULSORY SEQUENCES

- Compulsory sequences may be broken down into separate elements during execution, but will result in lower scoring on style.
- The last position of each Compulsory sequence leads into the beginning position of the next Compulsory sequence, and is counted as one grip.
- Performers are defined as Performer A and B.
- Other than for the first grip of the jump, a valid grip must be preceded by clear total separation, which is when the performers show at one point in time that they have released the grip and no part of their arms have contact with the other performer.

Sequence A: Up and Over

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions over Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions over Performer A to the other side.
- Performers take a hand grip in normal flight.

Sequence B: Rock and Roll

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A performs a barrel roll.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B performs a barrel roll.
- Performers take a hand grip in normal flight.

Sequence C: Revolutions

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions over Performer B to the other side and then transitions back under Performer B to the original starting position.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions over Performer A to the other side and then transitions back under Performer A to the original starting position.
- Performers take a hand grip in normal flight.

Sequence D: Roll Over

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A performs a barrel roll over Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B performs a barrel roll over Performer A to the other side.
- Performers take a hand grip in normal flight.

Sequence E: Fruity Loops

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A performs a front loop.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B performs a front loop.
- Performers take a hand grip in normal flight.

Sequence F: Duck and Roll

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A performs a barrel roll under Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B performs a barrel roll under Performer A to the other side.
- Performers take a hand grip in normal flight.

Sequence G: Déjà vu

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions over Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer A transitions over Performer B back to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions over Performer A to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions over Performer A back to the other side.
- Performers take a hand grip in normal flight.

Sequence H: Yin Yang

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions to inverted flight.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer A transitions to normal flight.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions to inverted flight.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer B transitions to normal flight.
- Performers take a hand grip in normal flight.

Sequence I: Back to Back

- Performers are in normal flight with a hand grip.
- Performers show total separation and then both transition to inverted flight.
- Performers take a hand grip in inverted flight.
- Performers show total separation and then both transition to normal flight.
- Performers take a hand grip in normal flight.

Sequence J: Pancakes

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions to inverted flight over Performer B to the other side.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer A transitions back to normal flight over Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions to inverted flight over Performer A to the other side.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer B transitions to normal flight over Performer A to the other side.
- Performers take a hand grip in normal flight.

Sequence K: Reversed Pancakes

- Performers are in normal flight with a hand grip.
- Performers show total separation and then Performer A transitions to inverted flight under Performer B to the other side.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer A transitions to normal flight under Performer B to the other side.
- Performers take a hand grip in normal flight.
- Performers show total separation and then Performer B transitions to inverted flight under Performer A to the other side.
- Performers take a hand grip in mixed orientation.
- Performers show total separation and then Performer B transitions to normal flight under Performer A to the other side.
- Performers take a hand grip in normal flight.

Sequence L: Hand to Foot

- Performers are in normal flight with a hand grip Performers show total separation.
- Performer A takes a foot grip in normal flight on the same side on Performer B
- Performers show total separation
- Performers take a hand grip in normal flight on the same side
- Performers show total separation
- Performer B takes a foot grip in normal flight on the same side on Performer A.
- Performers show total separation.
- Performers take a hand grip in normal flight on the same side

Sequence M: Reversed Hand to Foot

- Performers are in normal flight with a hand grip
- Performers show total separation and Performer A transitions to inverted flight.
- Performer A takes a foot grip in inverted flight on the same side on Performer B.
- Performers show total separation and Performer A transitions to normal flight.
- Performers take a hand grip in normal flight on the same side
- Performers show total separation and Performer B transitions to inverted flight.
- Performer B takes a foot grip in inverted flight on the same side on Performer A.
- Performers show total separation and Performer B transitions to normal flight.
- Performers take a hand grip in normal flight on the same side

APPENDIX B – ACROBATIC WINGSUIT FLYING JUDGING CRITERIA

B-1 Scoring Grips

Grip scoring is only required for the Compulsory Routines.

- Each completed grip at the start of, during, and between each Compulsory manoeuvre will be added up to create a total number of grips.
- If multiple grips are taken during and between each Compulsory manoeuvre, only one grip will be counted.
- A grip that cannot be seen, or is considered not to meet the definition in Chapter 2 by a majority of the Judges will not be included in the total number of grips Compulsory Rounds have to be made in the correct sequence. A Compulsory manoeuvre omitted in the sequence will result in one point being subtracted from the total number of grips for that round. This result may not be less than zero.

B-2 Scoring Style

Judges give a score for the Team (between 0 and 10 from 0.0 to no more than 10.0, up to one decimal point) for each of the four (4) Compulsory Rounds and two (2) Free Rounds, using the following guidelines:

10 points - Routine is performed flawlessly with no noticeable mistakes.

8 points - Routine is performed with small mistakes.

5 points - Routine is performed with medium mistakes.

3 points - Routine is performed with major mistakes.

0 points – Routine is not performed or identifiable

Examples of style:

- Flying Skills: Ability to manoeuvre smoothly or fly in any orientation (vertically, horizontally, back flying, etc.)
- Precision, control: Ability of the Team to demonstrate body control and smoothness of transitions. All movements made by the performers are precise and deliberate, without a lot of “nervous” movement in the arms, legs, and body or heading.
- Teamwork: The ability of the team to perform movements together to create a unified performance
- Body position: the performers’ posture should present clean and defined arm and leg position ideal for flight.
- Grips: each grip is made smoothly and fully in control.
- Leveling: the performer is adjusting fall rate and level accordingly during each manoeuvre,
- Proximity: the performers stay close together, never moving more than one body distance apart.
- Transitions: more complex manoeuvres are made according to the intended figures, rather than broken down into two or more simpler elements.

Small mistake examples:

- Manoeuvre: finish slightly off heading, slight wobble, etc.
- Manoeuvre: arms bent down or forward knees bent
- Manoeuvre: grips made resulting in tension and movement

Medium mistake examples:

- Manoeuvre: significantly off heading, wobble, not enough rotation, etc.
- Manoeuvre: grips made with considerable force, not fully in control

Major mistake examples:

- Manoeuvre: completely missing required elements of performed so poorly that manoeuvre is barely recognizable.
- Not generating forward movement (using aerodynamic properties of the Wingsuit).
- Manoeuvre: grips made with considerable force, resulting in out of control flying on one or both Performers.

B-3 Scoring Camera

Judges give two (2) scores for camera work: one for Quality (between 0.0 and 7.0, up to one decimal point); and one for Progressive Work (between 0.0 and 3.0 up to one decimal point) for each of the two (2) Free Rounds, using the following guidelines, based on the worst mistake(s) judged in the camerawork:

Quality

- 6-7 points - Camerawork is flawless with no noticeable mistakes
- 4-6 points - Camerawork is performed with small mistakes.
- 2-5 points - Camerawork is performed with medium mistakes.
- 1-3 points - Camerawork is performed with large mistakes.
- 0-1 points - Camerawork show no Performer manoeuvres.

Progressive Work

- 3 points – Routine is performed with a significant amount of successful progressive work.
- 2 points - Routine is performed with some successful progressive work.
- 1 point - Routine is performed with minimal successful progressive work.
- 0 points - Routine is performed with no progressive work.

Examples for good camerawork video quality:

- Video is smooth and does not bounce around.
- Performers occupy most of the video and remain centered
- Cameraman remains within a consistent distance of the Performers.
- Utilizes advanced flying techniques (i.e. Carving around the performers, back flying) resulting in creative angles without loss of framing or proximity.

Examples for Progressive Work:

- Back flying
- Carving
- Multi-axis views

Small mistake examples:

- Momentary loss of framing or focus, occasional minor distance errors, etc.

Medium mistake examples:

- Momentary loss of image, framing, focus, or distance errors for about 20 % or more of the Compulsory Sequence, etc.

Major mistake examples:

- Contact with one or both performers
- Loss of control, resulting in lost framing of the performers or no video
- 50% or more of Compulsory Routine or Free Routine cannot be judged. .

B-4 Scoring Dive Plan

Dive plan scoring is only required for the free routine rounds. Judges give the following judging criteria a score, from 0.0 up to 10.0 to one decimal point, taking into account the following guidelines:

Technical:

- Variety of moves: Performs several types of moves (using different orientations) within the Dive Plan.
- Difficulty: The degree of difficulty of all set sequences and transitions in the routine.
- Team Work: The amount and type of teamwork within the dive plan – constant interaction, showing combined skills of all Team Members, synchronization with the cameraman.
- Working time management: Ability to utilize working time and work the dive plan into the time allotted.
- Grip complexity, if present..

Examples for Technical:

- The two (2) Performers maintain proper proximity throughout each sequence.
- All flying surfaces and/or flight angles are used (i.e. belly to earth and back flying, steeper angles)
- A constant interaction and teamwork is displayed.
- The routine shows a wide variety of set sequences that vary by complexity.
- Team separation after each set sequence.
- Grip complexity, if present.

Presentation:

- Visual Excitement: Routine should hold the viewer's attention throughout,
- Dynamic variety, entertaining without being unnecessary.
- Originality: Creative choreography, interesting beginning and ending.

Examples for Presentation:

- The routine has a defining beginning and end.
- Working time is utilized to the fullest extent possible.
- The routine has a high level of creativity that contains new manoeuvres, and flows from one set sequence to the next.
- The routine is enjoyable and aesthetically pleasing to watch.

APPENDIX C – PERFORMANCE FLYING: DFP, DL, PENALTIES



